

COMMUNITY BOARD 2 APPLICATION FOR A STATE LIQUOR AUTHORITY LICENSE

**FOR EXISTING LICENSEES –
ALTERATION TO ADD CONTIGUOUS OR NONCONTIGUOUS MUNICIPAL PUBLIC SPACE**

Form to be Completed and Returned with 30-Day Notice

Name/email of Principal/Contact: [REDACTED]

Name/email of Representative: Benjamin Korngut; bak@kplawyers.com

Applicant/Premises Name: Naive Melody 24 LLC

DBA Name: Marian's

Address of Premises (include zip code): 24 Greenwich Avenue, New York, NY 10011

Cross Streets of Premises: West 10th Street, West 11 Street

License ID #: 0340-21-121006

☒ On Premise Liquor ☐ Restaurant Wine ☐ Tavern Wine ☐ Other

Sidewalk Café will have no more than *(If premises is located on a corner please indicate for both streets):*

5 tables and 10 seats on Greenwich Avenue Street

N/A tables and N/A seats on N/A Street

Will applicant agree to close sidewalk café area by 10 PM every night? Yes ☐ No ☒

Will open sidewalk café area at 11:00 am

Roadbed / Open Streets will have no more than *(If premises is located on a corner please indicate for both streets):*

N/A tables and N/A seats on N/A Street

N/A tables and N/A seats on N/A Street

Is roadbed in a floating parking lane separated from the curb by a bike path? Yes ☐ No ☒

Does DOT Dining Out NYC application include an FDNY waiver? Yes ☐ No ☒

Will applicant agree to close roadbed seating by 10 PM every night? Yes ☐ No ☒

Will open roadbed seating area at N/A

For all Applicants:

Will agree there will be no host stands, bus or service stations on the sidewalk or in the roadbed? Yes ☒ No ☐

Will agree there will be no exterior music, speakers or TVs? Yes ☒ No ☐

Will agree that all patrons in any sidewalk café or roadbed will be seated? Yes ☒ No ☐



NEW YORK CITY
Eric Adams
 Mayor
Ydanis Rodriguez
 Commissioner

- ### Identify Clear Path Requirements:

- ### Setup Area Identification :

- ☐ Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.

☐ Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.

Applicant Name: Naïve Melody 24 LLC

Restaurant Name: MARIAN'S

FSEP Number: 50116616

Architectural site plan for the proposed restaurant setup area. The plan shows the layout of the restaurant area, including the primary building entrance, adjacent restaurant entrances, and the proposed setup area. Key features include a fire escape drop-down ladder above the entrance, an existing residential service hatch, and an existing fire hydrant. The plan also shows the proposed table size (20' x 20'), proposed table count (5), and proposed chair count (10). The plan is oriented with Greenwich Avenue to the right and the adjacent restaurant to the left. A north arrow is located in the top right corner.

PROPOSED SETUP AREA: 16'-5" x 8' (56sf)
PROPOSED TABLE SIZE: 20' x 20'
PROPOSED TABLE COUNT: 5
PROPOSED CHAIR COUNT: 10

8' CLEAR PATH

STORE FRONTAGE

GREENWICH AVENUE

PAINTED LINES

EXISTING CITIBIKE DOCKING STATION

EXISTING FIRE HYDRANT

EXISTING CON-ED PANEL

SURVEY MARKER: GAS

SURVEY MARKER: WATER

EXISTING BIKE RACK

EXISTING RESTAURANT SETUP AREA NOT IN SCOPE OF WORK

ADJACENT RESTAURANT

ADJACENT RESTAURANT SECONDARY ENTRANCE

ADJACENT RESTAURANT ENTRANCE

PRIMARY BUILDING ENTRANCE

RESTAURANT ENTRANCE

SETUP AREA

EXISTING CELLAR HATCH NOT IN SERVICE DURING BUSINESS HOURS

FIRE ESCAPE DROP-DOWN LADDER ABOVE HT: 11'-3"

EXISTING RESIDENTIAL SERVICE HATCH

MARIAN'S

- | | |
|--|--|
| <p>Drawing Requirements</p> <p>Food service establishments frontage shown by:</p> <ul style="list-style-type: none"> • Line representing the establishment's space facing the sidewalk • Length • Labels <p>Private Property shown as:</p> <ul style="list-style-type: none"> • Dashed line <p>Street names:</p> <ul style="list-style-type: none"> • Labels on each street <p>Sidewalk shown as:</p> <ul style="list-style-type: none"> • Line representing street curb • Width measured from building line to curb line <p>Building entrances shown as:</p> <ul style="list-style-type: none"> • Label <p>Cafe perimeter shown as:</p> <ul style="list-style-type: none"> • Lines indicating perimeter • Length and width <p>Set-up furniture (tables, chairs, etc.) shown as:</p> <ul style="list-style-type: none"> • Lines or symbols at approximate location within setup <p>Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:</p> <ul style="list-style-type: none"> • Lines or symbols • Distance from cafe perimeter • Labels <p>Utility coverings (water/gas valves, and pull boxes) shown as:</p> <ul style="list-style-type: none"> • Symbols representing the location within the setup | |
|--|--|

North arrow

Length of sidewalk cafe: 16.5 feet

Width of sidewalk cafe: 8 feet

SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the [How to Apply](#) page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:


- ☐ C1 - Global Corridor (12 feet Clear Path)
- ☐ C2 - Regional Corridor (10 feet Clear Path)
- ☐ C3 - Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan [Pedestrian Demand Map](#).

Setup Area Identification :

- ☐ Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- ☐ Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.



Length of sidewalk cafe: **16.5** feet

Width of sidewalk cafe: **8** feet

Sidewalk Cafe Site Plan Form

Applicant Name:

Naive Melody 24 LLC

Restaurant Name:

MARIAN'S

FSEP Number:

50116616

Drawing Requirements

Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

Private Property shown as:

- Dashed line

Street names:

- Labels on each street

Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

Building entrances shown as:

- Label

Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

Set-up furniture (tables, chairs, etc.) shown as:

- Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:

- Lines or symbols
- Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as:

- Symbols representing the location within the setup

North arrow

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:

☐ S01- Subway Stair: Open End _____ feet

Elements with minimum 10 feet clearance from sidewalk cafe:

☐ S02- Subway Elevator Entrance _____ feet ☐ S04- MTA Curb Cut _____ feet

☐ S03- Exhaust Duct _____ feet ☐ S05- FDNY Curb Cut _____ feet

Elements with minimum 8 feet clearance from sidewalk cafe:

☐ S06- Street Tree Bed _____ feet ☐ S13- Newsstand _____ feet

☐ S07- Mailbox _____ feet ☐ S14- Streetlight _____ feet

☐ S08- LinkNYC Kiosk _____ feet ☐ S15- Bus Stop Pole _____ feet

☐ S09- Wayfinding Kiosk _____ feet ☐ S16- Fire Hydrant _____ feet

☐ S10- E-charging Station _____ feet ☐ S17- Bus Stop Shelter _____ feet

☐ S11- Parking Meter _____ feet ☐ S18- Traffic Signal _____ feet

☐ S12- SBS Fare Machine _____ feet

Elements with minimum 5 feet clearance from sidewalk cafe:

☐ S19- CitiBike/Bike Share Station _____ feet ☐ S24- Emergency Exit Hatch _____ feet

☐ S20- Bike Corral _____ feet ☐ S25- Subway Stair: Closed End _____ feet

☐ S21- Micromobility Station _____ feet ☐ S26- Subway Elevator: Non-Entry _____ feet

☒ S22- Primary Building Entrance _____ feet ☐ S27- Siamese Connection _____ feet

☐ S23- Curb Cut _____ feet

Elements with minimum 3 feet clearance from sidewalk cafe:



☐ S28- Elevated Train Infrastructure _____ feet ☐ S29- Transformer Vault _____ feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

☐ S30- Vent Infrastructure: _____ inches ☐ S31- Manholes _____ inches

utility vent poles, vent
grates, subway grates

☐ Check this box if none of the objects listed above are within 15 feet of the proposed setup.



SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

☒ Perimeter Demarcation (All of the following must be met)

☒ Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.

☒ Maximum height is 2 feet 6 inches (excluding planting(s)).

☒ Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

☒ Furnishings (if using, the first two below must be met)

☒ Lightweight and easily movable.

☒ Not affixed to the sidewalk.

☒ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the [Cellar or Basement Door Certification](#)

☒ Awnings Physically Attached to the Building (if using, all of the following must be met)

☒ Minimum 8 feet height from the ground and does not exceed 10 feet height.

☒ Easily removable, comprised of fire-grade and wind resistant materials.

☒ Does not extend beyond the perimeter of the sidewalk cafe.

☒ Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

☐ Overhead Coverings/ Umbrellas (if using, all of the following must be met)

☐ Minimum 7 feet height from the ground and does not exceed 10 feet height.

☐ Easily removable, comprised of fire-grade and wind resistant materials.

☐ Does not extend beyond the perimeter of the sidewalk cafe.

☐ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.

☐ Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

☐ Lighting and Electrical Connections (if using, all of the following must be met)

☐ Any lighting is outdoor rated, properly secured, and lightweight.

☐ Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.

☐ Does not extend beyond the perimeter of the sidewalk cafe.

☐ Does not exceed 10 feet in height.

☐ Not attached to any City property, including street trees.

☐ Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.



MARIAN'S

24

M.



MARIAN'S

MARIAN'S

24

M.

M.



MARIAN'S

24 GREENWICH AVE.

MARIAN'S
24 GREENWICH AVENUE



