

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50004681
Expiration Date: 11/30/2025
DOHMH Status: CURRENT
Business Legal Name: NAUGHTY GULL, LLC
Assumed Name: THE CLAM
Business Address: 420 HUDSON ST, NEW YORK, NY 10014
Venue Type: Restaurant (with bar)
Last updated from DOHMH: 02/24/2025

Restaurant Information
Entity Type: Limited Liability Corporation (LLC)
Employer Identification Number: [REDACTED]
Phone: ([REDACTED])
Email Address: [REDACTED]

Emergency Contact Information
First Name: Robert Michael
Last Name: Price
Phone: ([REDACTED])
Email Address: [REDACTED]

DOS Information
DOS ID#: 46058712
Process Name: Naughty Gull LLC
DOS Address: 420 Hudson Street, New York, New York 10014
NYS Liquor Authority Information
NYSLA Serial No: 034021120016
License Type: On-Premises
Name of License: Joseph Campanaro
Title of Representative: Partner
Name of Certificate Holder: Naughty Gull LLC

User Information
Created By: Andy Gottlieb
Created On: 8/3/2024 1:11:41 AM
Modified By: Andy Gottlieb
Modified On: 8/3/2024 1:11:41 AM

Business hours
Sun:
12:00 PM- 11:30 PM
Mon:
-
Tues:
12:00 PM- 11:30 PM
Wed:
12:00 PM- 11:30 PM
Thurs:
12:00 PM- 11:30 PM
Fri:
12:00 PM- 11:30 PM
Sat:
12:00 PM- 11:30 PM



SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the “**Sidewalk Site Plan**” field of your online application.
- Refer to the [How to Apply](#) page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT’s Pedestrian Mobility Plan [Pedestrian Demand Map](#).

- ☐ C1- Global Corridor (12 feet Clear Path)
- ☒ C2- Regional Corridor (10 feet Clear Path)
- ☐ C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification :

- ☐ Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- ☐ Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.


Sidewalk Cafe
Site Plan Form

Applicant Name: Naughty Gull LLC

Restaurant Name: The Clam

FSEP Number: 50004681

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.



Length of sidewalk cafe: 24 feet

Width of sidewalk cafe: 8 feet

Drawing Requirements

- Food service establishment frontage shown by:**
- Line representing the establishment’s space facing the sidewalk
 - Length
 - Labels
- Private Property shown as:**
- Dashed line
- Street names:**
- Labels on each street
- Sidewalk shown as:**
- Line representing street curb
 - Width measured from building line to curb line
- Building entrances shown as:**
- Label
- Cafe perimeter shown as:**
- Lines indicating perimeter
 - Length and width
- Set-up furniture (tables, chairs, etc.) shown as:**
- Lines or symbols at approximate location within setup
- Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:**
- Lines or symbols
 - Distance from cafe perimeter
 - Labels
- Utility coverings (water/gas valves, and pull boxes) shown as:**
- Symbols representing the location within the setup

North arrow

SECTION 2: Required Clearances

- Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding clearances.

Elements with minimum 15 feet clearance from sidewalk cafe:

S01- Subway Stair: Open End feet

Elements with minimum 10 feet clearance from sidewalk cafe:

S02- Subway Elevator Entrance feet S04- MTA Curb Cut feet
 S03- Exhaust Duct feet S05- FDNY Curb Cut feet

Elements with minimum 8 feet clearance from sidewalk cafe:

☒ S06- Street Tree Bed	10 feet	☐ S13- Newsstand	feet
☐ S07- Mailbox	feet	☒ S14- Streetlight	10 feet
☒ S08- LinkNYC Kiosk	10 feet	☐ S15- Bus Stop Pole	feet
☐ S09- Wayfinding Kiosk	feet	☒ S16- Fire Hydrant	10 feet
☐ S10- E-charging Station	feet	☐ S17- Bus Stop Shelter	feet
☐ S11- Parking Meter	feet	☐ S18- Traffic Signal	feet
☐ S12- SBS Fare Machine	feet		

Elements with minimum 5 feet clearance from sidewalk cafe:

☐ S19- CitiBike/Bike Share Station	feet	☐ S24- Emergency Exit Hatch	feet
☐ S20- Bike Corral	feet	☐ S25- Subway Stair: Closed End	feet
☐ S21- Micromobility Station	feet	☐ S26- Subway Elevator: Non-Entry	feet
☐ S22- Primary Building Entrance	feet	☐ S27- Siamese Connection	feet
☐ S23- Curb Cut	feet		

Elements with minimum 3 feet clearance from sidewalk cafe:

☐ S28- Elevated Train Infrastructure feet ☐ S29- Transformer Vault feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

☐ S30- Vent Infrastructure: utility vent poles, vent grates, subway grates inches ☐ S31- Manholes inches

☐ Check this box if none of the objects listed above are within 15 feet of the proposed setup.



SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the [Setup Guides](#) in the Dining Out NYC website for more information regarding materials.

Materials Checklist:

Required

☒ **Perimeter Demarcation (All of the following must be met)**

- ☒ Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
- ☒ Maximum height is 2 feet 6 inches (excluding planting(s)).
- ☒ Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

☒ **Furnishings (if using, the first two below must be met)**

- ☒ Lightweight and easily movable.
- ☒ Not affixed to the sidewalk.
- ☒ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the [Cellar or Basement Door Certification](#)

☒ **Awnings Physically Attached to the Building (if using, all of the following must be met)**

- ☒ Minimum 8 feet height from the ground and does not exceed 10 feet height.
- ☒ Easily removable, comprised of fire-grade and wind resistant materials.
- ☒ Does not extend beyond the perimeter of the sidewalk cafe.
- ☒ Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.

☒ **Overhead Coverings/ Umbrellas (if using, all of the following must be met)**

- ☒ Minimum 7 feet height from the ground and does not exceed 10 feet height.
- ☒ Easily removable, comprised of fire-grade and wind resistant materials.
- ☒ Does not extend beyond the perimeter of the sidewalk cafe.
- ☒ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- ☒ Any support structures are of sufficient size and strength, made of durable materials, and free of defects.

☒ **Lighting and Electrical Connections (if using, all of the following must be met)**

- ☒ Any lighting is outdoor rated, properly secured, and lightweight.
- ☒ Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
- ☒ Does not extend beyond the perimeter of the sidewalk cafe.
- ☒ Does not exceed 10 feet in height.
- ☒ Not attached to any City property, including street trees.
- ☒ Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.