# **RESTAURANT DETAILS**

Food Service Establishment Permit(FSEP)

FSEP#: 41273802

Expiration Date: 07/31/2026 DOHMH Status: CURRENT

Business Legal Name: 8TH ST WINECELLAR NYC CORP

Assumed Name: 8TH STREET WINECELLAR

Business Address: 28 WEST 8 STREET, NEW YORK, NY 10011

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 08/25/2025

## Restaurant Information

Entity Type: Corporation

Phone:

Email Address:

# DOS Information

DOS ID#: 3359484

Process Name: 8th st wine cellar nyc corp

DOS Address: 28 West 8th Street, New York, New York 10011

# NYS Liquor Authority Information

NYSLA Serial No: 1183404 License Type: On-Premises

Name of License: 8th st winecellar nyc corp

Title of Representative: vp

Name of Certificate Holder: Jonathan Cohen

## **Business** hours

Sun:

4:00 PM- 2:00 AM

Mon:

4:00 PM- 2:00 AM

Tues:

4:00 PM- 2:00 AM

Wed:

4:00 PM- 2:00 AM

Thurs:

4:00 PM- 2:00 AM

Fri:


4:00 PM- 2:00 AM

Sat:

4:00 PM- 2:00 AM











# SECTION 1: Site Plan This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application process. Setup Area Identification: Identify Clear Path Requirements: Please check this box if you plan to have outdoor dining located Clear path requirement for C1- Global Corridor (12 feet Clear Path) partially within private property. If you are uncertain, please your sidewalk cafe can be request records from your property owner/manager. C2- Regional Corridor (10 feet Clear Path) found by identifying your corridor type on the DOT's Please check this box if all or part of your sidewalk cafe is in a C3- Neighborhood Corridor, Community Connector, or Baseline Pedestrian Mobility Plan sidewalk widening area, developed pursuant to the NYC Zoning Street (8 feet Clear Path) Resolution. If so, indicate the property line in the site plan drawing Pedestrian Demand Map. below. Use the space below to draw or uplead your Site Plan representing your cafe perimeters, furniture, and clearances. RESTANBANT BUILDING ENTRANCE ENTRANCE STAHLLYON STAHCHION STAMTION 州。 Metal cover welded shut (not cellar door) 10 Street width: 13'-2" CURB WEST 8th STREET Regional Corridor: 10 feet clear path

Length of sidewalk cafe:

Width of sidewalk cafe:



# Sidewalk Cafe Site Plan Form

JOHANIAN CONCL

FSEP Number:

41273802

### **Drawing Requirements**

### Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

### Private Property shown as:

Dashed line

#### Street names:

3'-2"

Labels on each street

#### Sidewalk shown as:

- Line representing street curb
- Width measured from building line to curb line

## **Building entrances shown as:**

Label

### Cafe perimeter shown as:

- Lines indicating perimeter
- Length and width

### Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

## Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown


- Lines or symbols
- Distance from cafe perimeter
- Labels


### Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow

#### SECTION 2: Required Clearances Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. Elements with minimum 15 feet clearance from sidewalk cafe: 501 - Subway Stair: Open End Elements with minimum 10 feet clearance from sidewalk cafe: S04- MTA Curb Cut S02- Subway Elevator Entrance feet S03- Exhaust Duct feet S05- FDNY Curb Cut feet Elements with minimum 8 feet clearance from sidewalk cafe: S06- Street Tree Bed S13- Newsstand S07- Mailbox S14- Streetlight feet feet S08- LinkNYC Kiosk S15- Bus Stop Pole feet S09-Wayfinding Kiosk feet S16- Fire Hydrant feet S17- Bus Stop Shelter \$10- E-charging Station feet feet S11- Parking Meter feet S18-Traffic Signal feet S12-SBS Fare Machine Elements with minimum 5 feet clearance from sidewalk cafe: S19- CitiBike/Bike Share Station S24- Emergency Exit Hatch feet S20- Bike Corral feet S25- Subway Stair: Closed End feet 526- Subway Elevator: Non-Entry S21- Micromobility Station feet feet S22- Primary Building Entrance feet 527- Siamese Connection feet S23-Curb Cut feet Elements with minimum 3 feet clearance from sidewalk cafe: S29-Transformer Vault S28- Elevated Train Infrastructure feet Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: inches S30-Vent Infrastructure: S31- Manholes utility vent poles, vent grates, subway grates Check this box if none of the objects listed above are within 15 feet of the proposed setup.





## **SECTION 3: Material Requirements**

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

Materia	is Ch	eckiist
---------	-------	---------

	4D continued to
	*Required*
	neter Demarcation (All of the following must be met)
	Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
. 🗀	Maximum height is 2 feet 6 inches (excluding planting(s)).
. [_]	Not affixed to the sidewalk.
/ <u>*O</u> p	ntional- Only check the material categories you intend to use in your sidewalk cafe*
Furn	skings (if using, the first two below must be met)
	Lightweight and easily movable.
<b>7</b>	Not affixed to the sidewalk.
	Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnii	ngs Physically Attached to the Building (if using, all of the following must be met)
	Minimum 8 feet height from the ground and does not exceed 10 feet height.
	Easily removable, comprised of fire-grade and wind resistant materials.
	Does not extend beyond the perimeter of the sidewalk cafe.
	Complies with the New York City Building Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overh	nead Coverings/ Umbrellas (if using, all of the following must be met)
	Minimum 7 feet height from the ground and does not exceed 10 feet height.
. 🗆	Easily removable, comprised of fire-grade and wind resistant materials.
	Does not extend beyond the perimeter of the sidewalk cafe.
· ــــــــــــــــــــــــــــــــــــ	The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk,
	Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
🗗 Lighti	ing and Electrical Connections (if using, all of the following must be met)
	Any lighting is outdoor rated, properly secured, and lightweight.
	Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
	Does not extend beyond the perimeter of the sidewalk cafe.
	Does not exceed 10 feet in height.
	Not attached to any City property, including street trees.
	Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable.