#### **RESTAURANT DETAILS**

Food Service Establishment Permit(FSEP)

FSEP#: 50169169

Expiration Date: 04/29/2025

DOHMH Status: PENDING APPLICATION Business Legal Name: BUT FIRST COFFEE LLC

Assumed Name: CAFFE PARADISO

Business Address: 202 ELIZABETH STREET, NEW YORK, NY 10012

Venue Type: Café

Last updated from DOHMH: 10/14/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone:

Email Address:

Principal Place of Business Address

Address: 202 ELIZABETH STREET, NEW YORK, New York 10012

DOS Information
DOS ID#:

Process Name: The LLC

DOS Address: 202 Elizabeth St, New York, New York 10012

DOS Legal Name:

NYS Liquor Authority Information Establishment serves alcohol: No

**User Information** 

Created By: Max Bookman

Created On: 10/8/2025 4:12:56 PM Modified By: Max Bookman

Modified On: 10/8/2025 4:12:56 PM

**Business hours** 

Sun:

8:00 AM- 6:00 PM

Mon:

8:00 AM- 6:00 PM

Tues:

8:00 AM- 6:00 PM

Wed:

8:00 AM- 6:00 PM

Thurs:

8:00 AM- 6:00 PM

Fri:

8:00 AM- 6:00 PM

Sat:

8:00 AM- 6:00 PM













#### **SECTION 1: Site Plan**

- · This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.









# Sidewalk Cafe Site Plan Form

**Applicant Name:** 

But First Coffee LLC

Restaurant Name:

Cafe Paradiso 50169169

**FSEP Number:** 

. \_ .

### Drawing Requirements

# Food service establishment frontage shown by:

- Line representing space occupied in building
- Labels

#### Street names:

· Labels on each street

#### Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

#### Primary building entrance shown as:

- Label
- Distance from proposed setup

#### Cafe perimeter shown as:

- Line
- Length and width
- ---- (Dashed line) representing Private Property Line

# Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup


#### Sidewalk elements or objects shown as:

- Lines or symbols
- Labels
- · Distance from cafe perimeter

#### Utility coverings shown as:

 Symbols representing the approximate shape of the covering within the setup

MANHOLE COVER



## SECTION 2: Required Clearances

- · Please provide distances from the following objects.
- Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable.
- Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances.

| Elements with minimum 15 feet of                           | clearance from side | ewalk cate:                     |        |  |
|--|---------------------|---------------------------------|--------|--|
| S01- Subway Stair: Open End                                | feet                |                                 |        |  |
| Elements with minimum 10 feet of                           | clearance from side | ewalk cafe:                     |        |  |
| S02- Subway Elevator Entrance                              | feet                | S04- MTA Curb Cut               | feet   |  |
| S03- Exhaust Duct  | feet                | S05- FDNY Curb Cut              | feet   |  |
| Elements with minimum 8 feet clearance from sidewalk cafe: |                     |                                 |        |  |
| S06- Street Tree Bed                                       | feet                | S13- Newsstand                  | feet   |  |
| S07- Mailbox   | feet                | S14- Streetlight                | feet   |  |
| S08- LinkNYC Kiosk   | feet                | S15- Bus Stop Pole              | feet   |  |
| S09- Wayfinding Kiosk                                      | feet                | S16- Fire Hydrant               | feet   |  |
| S10- E-charging Station                                    | feet                | S17- Bus Stop Shelter           | feet   |  |
| S11- Parking Meter   | feet                | S18- Traffic Signal             | feet   |  |
| S12- Select Bus Service Fare Machine                       | feet                |                                 |        |  |
| Elements with minimum 5 feet cl                            | earance from side   | walk cafe:                      |        |  |
| S19- CitiBike/Bike Share Station                           | feet                | S24- Emergency Exit Hatch       | feet   |  |
| S20- Bike Corral   | feet                | S25- Subway Stair: Closed End   | feet   |  |
| S21- Micromobility Station                                 | feet                | S26- Subway Elevator: Non-Entry | feet   |  |
| S22- Primary Building Entrance                             | feet                | S27- Siamese Connection         | feet   |  |
| S23- Curb Cut  | feet                |                                 |        |  |
| Elements with minimum 3 feet clearance from sidewalk cafe: |                     |                                 |        |  |
| S28- Elevated Train Infrastructure                         | e feet              |                                 |        |  |
| S29- Transformer Vault                                     | feet                |                                 |        |  |
| Elements with minimum 1 foot 6                             | inches clearance f  | rom sidewalk cafe elements:     |        |  |
| S30- Vent Infrastructure                                   | inches              |                                 |        |  |
|  |                     |                                 |        |  |
| Cannot block access  |                     | Cannot block or                 | 000000 |  |

be attached to fire escape stairs

## SECTION 3: Material Requirements

 Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement

| Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.   |   |  |  |
|--|---|--|--|
| Materials Checklist:   |   |  |  |
| *Required*  Perimeter Demarcation  Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.  Maximum height is 2 feet 6 inches (excluding planting(s)).  Not affixed to the sidewalk.   |   |  |  |
| #Optional- Only check the material categories you intend to use in your sidewalk cafe*  Furnishings Lightweight and easily movable. Not affixed to the sidewalk.  Awnings (Physically attached to the building) Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code and the requirements of the Landmarks Procommission, as applicable.  Overhead Coverings/ Umbrellas Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the Any support structures are of sufficient size and strength, made of durable materials, and the Lighting and Electrical Connections Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the process of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not extend beyond the perimeter of the sidewalk cafe. | the sidewalk.<br>free of defects.<br>perimeter of |  |  |

Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.