P&B Pesetsky&Bookman

Morandi, L.P.

Community Board SLA License Questionnaire for Existing Licensees

Alteration to add Non-Contiguous Municipal
Public Space

Pesetsky & Bookman

Applicant's Alcoholic Beverage Counsel
325 Broadway, Suite 501
New York, NY 10007
www.pb.law | (212) 513-1988 | hello@pb.law

Valerie De La Rosa, Chair Eugene Woo, First Vice Chair Donna Raftery, Second Vice Chair



Antony Wong, Treasurer Emma Smith, Secretary Brian Pape, Assistant Secretary Mark Diller, District Manager

COMMUNITY BOARD NO. 2, MANHATTAN

3 Washington Square Village New York, NY 10012-1899

www.manhattancb2.org

COMMUNITY BOARD 2 APPLICATION FOR A STATE LIQUOR AUTHORITY LICENSE For Existing Licensees – Alteration to add Contiguous or Noncontiguous Municipal Public Space

Instructions

For current licensees applying to add Municipal Public Space to their licensed premises, please supply the following along with or immediately following submission of the 30-day Notice to Municipalities.

The 30-day Notice can be found in the <u>Alteration for Adding or Removing Contiguous and/or Noncontiguous</u> Municipal Public Space Application located on the NYSLA website.

For Sidewalk:

• Submit the attached addendum along with the diagram included with your DOT Dining Out NYC application. The diagram should indicate restaurant frontage (*length*), length and width of set up area(s) inclusive of barriers, location of tables and chairs, service aisle area and sidewalk width.

(Note: Restaurant staff must serve patrons from within the sidewalk cafe.)

For Roadway:

Submit the attached addendum along with the diagram included with your DOT Dining Out NYC application.
The diagram should indicate restaurant frontage (length), roadbed seating area (length and width of set up area(s) inclusive of barriers), location of tables and chairs and service aisle area.

(Note: Restaurant staff must serve patrons from within the roadbed dining area.)

For Open Streets:

• Submit the attached addendum along with a diagram of the roadway seating area (length and width of set up area) including location of tables and chairs in the roadway. Diagram should include the restaurant frontage. Also include the full roadbed width including the midpoint measurement and the 15' emergency vehicle lane.

For Roadway and Sidewalk:

- Submit photos of the premises where the sidewalk café and/or roadbed will be located. Required photos show one frontal, one left and one right side view of proposed sidewalk café and/or roadbed.
 - For sidewalk café and/or roadbed, photos must show complete sidewalk and/or roadway area including views to curb and neighboring properties.

COMMUNITY BOARD 2 APPLICATION FOR A STATE LIQUOR AUTHORITY LICENSE

FOR EXISTING LICENSEES – ALTERATION TO ADD CONTIGUOUS OR NONCONTIGUOUS MUNICIPAL PUBLIC SPACE

Form to be Completed and Returned with 30-Day Notice

Name/email of Principal/Contact: Keith McNally/Email Address:
Name/email of Representative: Max Bookman, Esq./Email Address:
Applicant/Premises Name: Morandi, L.P.
DBA Name:
Address of Premises (include zip code): 15 Charles Street, New York, NY 10014
Cross Streets of Premises: Greenwich Avenue and Waverly Place
License ID #: 0340-23-133118
✓ On Premise Liquor ☐ Restaurant Wine ☐ Tavern Wine ☐ Other
Sidewalk Café will have no more than (If premises is located on a corner please indicate for both streets):
0 tables and 0 seats on N/A Street
Will applicant agree to close sidewalk café area by 10 PM every night? Yes \square No \square N/A
Will open sidewalk café area at N/A
Roadbed / Open Streets will have no more than (If premises is located on a corner please indicate for both streets):
tables andseats onWaverly Place Street
tables and seats on Street
Is roadbed in a floating parking lane separated from the curb by a bike path? Yes ☐ No ☑
Does DOT Dining Out NYC application include an FDNY waiver? Yes ☐ No 🗹
Will applicant agree to close roadbed seating by 10 PM every night? Yes ☐ No 🗹
Will open roadbed seating area at 11am Thursday-Friday and 9am Saturday-Sunday
For all Applicants:
Will agree there will be no host stands, bus or service stations on the sidewalk or in the roadbed? Yes ☑ No □
Will agree there will be no exterior music, speakers or TVs? Yes ☑ No ☐
Will agree that all patrons in any sidewalk café or roadbed will be seated? Yes ✓ No □

Morandi L.P. Frontage = 73' 9"

