



Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

Manhattan Community Board 4's (MCB4) recommendation is based on a voted at its May 7, 2025 Full Board Meeting with 39 members in favor of the recommendation, 0 member opposed, 0 members abstaining and 0 present but not eligible.

DINING OUT NYC

Community Board Authorizing Name

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

| Business Name: Starbucks Reserve Roa | astery |
|--|--|
| Cafe Address: 61 9 AVENUE, NEW Y | ORK, NY, 10011 |
| Application Number: 20240716010025 | |
| CB Review Deadline (on date or next busing NYCDOT Internal Use Only | iness day): 4/19/2025 |
| Sidewalk Cafe Setup Feedback: | Community Board chooses to WAIVE review |
| Comments related to the cafe's physical footprin | nt and dimensions: |
| Comments related to pedestrian flow (i.e., visbility Applicant will take steps to ensure that side appropriate perimeter demarcations | ty, safety , potential crowding): walk cafe is confined to designated perimeter, with |
| | either approval, denial, or approval with modifications relating to |
| Community Board recommends approval | Community Board recommends denial |
| Community Board recommends approval w/ recommended modifications (only if approved v | |
| Applicant acknowledges BUT does NOT agree | ications relating to the above referenced application e with modifications relating to the above referenced application. If with documentation of such agreement for NYC DOT's consideration. |
| Nelly Gonzalez | Moregales 4/18/25 |

On 4/8/25 the Business Licenses & Permits Committee voted to recommend approval. This application is subject to ratification by MCB4 Full Board on Wednesday, May 7, 2025.

Community Board Authorizing Signature

Date

RESTAURANT DETAILS

Food Service Establishment Permit (FSEP)

FSEP#: 50136719

Expiration Date: 05/31/2025 DOHMH Status: CURRENT

Business Legal Name: SIREN RETAIL CORPORATION Assumed Name: STARBUCKS RESERVE ROASTERY Business Address: 61 9 AVENUE, NEW YORK, NY 10011

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 03/10/2025

Restaurant Information Entity Type: Corporation Phone: (212) 691-0531

Email Address: ccarrasc@starbucks.com

DOS Information DOS ID#: 5100176

Process Name: Corporation Service Company

DOS Address: 80 State Street, Albany, New York 12207

NYS Liquor Authority Information NYSLA Serial No: 034022109088

License Type: On-Premises

Name of License: Siren Retail Corporation Title of Representative: Vice President

Name of Certificate Holder: Siren Retail Corporation

Business hours

Sun: 8:00 AM- 10:00 PM Mon: 8:00 AM- 10:00 PM Tues: 8:00 AM- 10:00 PM Wed: 8:00 AM- 10:00 PM Thurs: 8:00 AM- 10:00 PM Fri: 8:00 AM- 11:00 PM Sat: 8:00 AM- 11:00 PM











| SECTION 1: Site Plan | | 2000000 | NEW YOUX CITY Eric Adams Mayor Yela is Rochagi |
|--|---|--|--|
| This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the How to Apply page in the Dining Out NYC website for more information about the application. | | And the latest territories of the latest territories and the latest territo | Valk Cafe |
| dentify Clear Path Requirements: | etup Area Identification : | | |
| Clear path requirement for C1- Global Corridor (12 feet Clear Path) | Please check this box if you plan to have outdoor dining located | Site Plan Form | |
| your sidewalk cafe can be found by identifying your C2- Regional Corridor (10 feet Clear Path) | partially within private property. If you are uncertain, please request records from your property owner/manager. | Applicant Name: | Carlos Carrasco Rive |
| corridor type on the DOT's Pedestrian Mobility Plan C3- Neighborhood Corridor, Community Connector, or Baseline | Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning | Restaurant Name: | Starbucks Reserve Roaste |
| Pedestrian Demand Map. Street (8 feet Clear Path) | Resolution. If so, indicate the property line in the site plan drawing below. | FSEP Number: | 50136719 |
| | | | |

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

Drawing Requirements

- Food service establishment frontage shown by:

 Line representing the establishment's space facing the sidewalk

 Length

 Labels

Private Property shown as: Dashed line

Street names:
Labels on each street

- Sidewalk shown as:

 Line representing street curb

 Width measured from building line to curb line

Building entrances shown as: • Label

- Cafe perimeter shown as:
 Lines indicating perimeter
 Length and width

Set-up furniture (tables, chairs, etc.)

shown as:

Lines or symbols at approximate location within setup


Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown Lines or symbols Distance from cafe perimeter Labels

Utility coverings (water/gas valves, and pull boxes) shown as: • Symbols representing the location within the setup

North arrow

Length of sidewalk cafe: 61'-10" feet

Width of sidewalk cafe: 5'-6" feet



| SECTION 2: Required Cleara | nces | | |
|---|-------------------|---------------------------------|---------|
| Please provide distances from the following objects Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. | | | |
| Elements with minimum 15 feet | clearance from si | ldewalk cafe: | |
| S01- Subway Stair: Open End | feet | | |
| Elements with minimum 10 feet | clearance from si | idewalk cafe: | |
| 502- Subway Elevator Entrance | feet | S04- MTA Curb Cut | feet |
| S03- Exhaust Duct | feet | 505- FDNY Curb Cut | feet |
| Elements with minimum 8 feet c | learance from sid | lewalk cafe: | |
| S06- Street Tree Bed | feet | S13- Newsstand | feet |
| S07- Mailbox | feet | 514- Streetlight | feet |
| S08- LinkNYC Klosk | feet | S15- Bus Stop Pole | feet |
| S09- Wayfinding Kiosk | feet | 516- Fire Hydrant | feet |
| S10- E-charging Station | feet | S17- Bus Stop Shelter | feet |
| S11- Parking Meter | feet | S18- Traffic Signal | 12 feet |
| 512- SBS Fare Machine | feet | | |
| Elements with minimum 5 feet c | learance from sid | ewalk cafe: | |
| 519- CitiBike/Bike Share Station | feet | S24- Emergency Exit Hatch | feet |
| S20- Bike Corral | feet | S25- Subway Stair: Closed End | feet |
| S21- Micromobility Station | feet | S26- Subway Elevator: Non-Entry | feet |
| S22- Primary Building Entrance | feet | S27- Siamese Connection | feet |
| S23- Curb Cut | feet | | |
| Elements with minimum 3 feet c | learance from sid | ewalk cafe: | |
| S28- Elevated Train Infrastructure | feet | S29- Transformer Vault | feet |
| Elements with minimum 1 foot 6 | inches clearance | from sidewalk cafe elements: | |
| S30- Vent Infrastructure: utility vent poles, vent grates, subway grates | inches | S31- Manholes | inches |
| Check this box if none of the objects listed above are within 15 feet of the proposed setup. | | | |
| | | | |

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

 Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.

| Refer to the <u>setup outces</u> in the bining out in to website for more information regarding materials |
|---|
| aterials Checklist: |
| |
| *Required* |
| Perimeter Demarcation (All of the following must be met) |
| Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. |
| Maximum height is 2 feet 6 inches (excluding planting(s)). |
| Not affixed to the sidewalk |
| *Optional- Only check the material categories you intend to use in your sidewalk cafe* |
| Furnishings (if using, the first two below must be met) |
| Lightweight and easily movable, |
| Not affixed to the sidewalk |
| Check here If you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cella</u> or <u>Basement Door Certification</u> |
| Awnings Physically Attached to the Building (if using, all of the following must be met) |
| Minimum 8 feet height from the ground and does not exceed 10 feet height. |
| Easily removable, comprised of fire-grade and wind resistant materials |
| Does not extend beyond the perimeter of the sidewalk cafe, |
| Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. |
| Overhead Coverings/ Umbrellas (if using, all of the following must be met) |
| Minimum 7 feet height from the ground and does not exceed 10 feet height. |
| Easily removable, comprised of fire-grade and wind resistant materials |
| Does not extend beyond the perimeter of the sidewalk cafe. |
| The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. |
| Any support structures are of sufficient size and strength, made of durable materials, and free of defects |
| Lighting and Electrical Connections (if using, all of the following must be met) |
| Any lighting is outdoor rated, properly secured, and lightweight, |
| Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. |
| Does not extend beyond the perimeter of the sidewalk cafe. |
| Does not exceed 10 feet in height |
| Not attached to any City property, including street trees. |
| Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable. |
| |
| |

| SECTION 1: Site Plan | | | 100 N 100 | NEW YORK CITY Eric Adams Mayor | |
|--|---|---|---|--|--|
| | ired to be uploaded in the "Sidewalk Site Plan" field of your online app | | | Ytteres Pours Commissione | |
| Identify Clear Path Requirements: Setup Area Identification: | | Sidewalk Cafe | | | |
| | | Please check this box If you plan to have outdoor dining located | Site Plan Form | | |
| your sidewalk cafe can be found by identifying your | C2- Regional Corridor (10 feet Clear Path) | partially within private property. If you are uncertain, please request records from your property owner/manager. | Applicant Name: | Carlos Carrasco Rive | |
| corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map. C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path) | | Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning | Restaurant Name: | | |
| | Resolution. If so, indicate the property line in the site plan drawing below. | FSEP Number: | 50136719 | | |
| Us | e the space below to draw or upload your Site Plan representing your | cafe perimeters, furniture, and clearances. | Drawin | g Requirements | |
| | | | shown by: Line represe space facing Length Labels Private Propert Dashed line Street names: Labels on ea | ach street | |
| | | | Width meast curb line Building entranted Label Cafe perimeter Lines indicate | ured from building line to ces shown as: shown as: ting perimeter | |
| | | | Longth and value shown as: Lines or sympocation with Elements (in Sewithin 15 feet oas: Lines or sympocation within 15 feet oas: Lines or sympocation within 15 feet oas: | width (tables, chairs, etc.) holes at approximate hin setup action 2 of this form) of cafe perimeter, shown | |

Width of sidewalk cafe: 5'-6" feet


Length of sidewalk cafe: 61'-10" feet

3

Utility coverings (water/gas valves, and pull boxes) shown as:

Symbols representing the location within the setup

North arrow



| | ed object is wit Dining Out NYC | ects hin 15 feet of your proposed setup. website for more information regard | ng clearances |
|--|------------------------------------|--|---------------|
| Elements with minimum 15 feet cle | | | _ |
| | arance from si | dewalk cafe: | |
| S01 - Subway Stair: Open End | feet | | |
| Elements with minimum 10 feet cle | arance from si | dewalk cafe: | |
| S02- Subway Elevator Entrance | feet | 504- MTA Curb Cut | feet |
| S03- Exhaust Duct | feet | S05- FDNY Curb Cut | feet |
| lements with minimum 8 feet clea | rance from sid | ewalk cafe: | |
| S06- Street Tree Bed | feet | S13- Newsstand | feet |
| 507- Mailbox | feet | S14- Streetlight | feet |
| S08- LinkNYC Kiosk | feet | S15- Bus Stop Pole | feet |
| S09- Wayfinding Kiosk | feet | S16- Fire Hydrant | feet |
| S10- E-charging Station | feet | 517- Bus Stop Shelter | feet |
| S11- Parking Meter | feet | | 2 feet |
| S12- SBS Fare Machine | feet | | |
| Elements with minimum 5 feet clea | rance from sid | ewalk cafe: | |
| S19- CitiBike/Bike Share Station | feet | S24- Emergency Exit Hatch | feet |
| S20- Bike Corral | feet | 525- Subway Stair: Closed End | feet |
| S21- Micromobility Station | feet | S26- Subway Elevator: Non-Entry | feet |
| S22- Primary Building Entrance | feet | S27- Siamese Connection | feet |
| S23- Curb Cut | feet | | |
| Elements with minimum 3 feet clea | rance from sid | ewalk cafe: | |
| S28- Flevated Train Infrastructure | feet | 529- Transformer Vault | feet |
| Elements with minimum 1 foot 6 in | ches clearance | from sidewalk cafe elements: | |
| 530- Vent Infrastructure: utility vent poles, vent grates, subway grates | inches | S31- Manholes | inches |
| Check this box if none of the objec | ts listed above a | re within 15 feet of the proposed setup. | |
| the object | | | |

| eet of the proposed setup |
|---|
| |
| Cannot block or be attached to fire escape stairs |
| |
| |

SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category, If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.

 Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials.

| Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. Maximum height is 2 feet 6 inches (excluding planting(s)). Not affixed to the sidewalk. Optional- Only check the material categories you intend to use in your sidewalk cafe* Furnishings (if using, the first two below must be met) Lightweight and easily movable. Not affixed to the sidewalk. Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) Minimum a feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. | terials Checklist: |
|---|--|
| Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. Maximum height is 2 feet 6 inches (excluding planting(s)). Not affixed to the sidewalk. *Optional- Only check the material categories you intend to use in your sidewalk cafe* Furnishings (if using, the first two below must be met) Lightweight and easily movable. Not affixed to the sidewalk. Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York (Ity Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New | *Required* |
| Description | Perimeter Demarcation (All of the following must be met) |
| ■ Lightweight and easily movable. ■ Not affixed to the sidewalk. □ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) □ Minimum 8 feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. □ Overhead Coverings/ Umbrellas (if using, all of the following must be met) □ Minimum 7 feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. □ Any support structures are of sufficient size and strength, made of durable materials, and free of defects. □ Lighting and Electrical Connections (if using, all of the following must be met) □ Any lighting is outdoor rated, properly secured, and lightweight. □ Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not extend bey | |
| ■ Lightweight and easily movable. ■ Not affixed to the sidewalk. □ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) □ Minimum a feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. □ Overhead Coverings/ Umbrellas (if using, all of the following must be met) □ Minimum 7 feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. □ Any support structures are of sufficient size and strength, made of durable materials, and free of defects. □ Lighting and Electrical Connections (if using, all of the following must be met) □ Any lighting is outdoor rated, properly secured, and lightweight. □ Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not exceed 10 feet in helght. □ Not attached to any City property, including street trees. □ Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | *Optional- Only check the material categories you intend to use in your sidewalk cafe* |
| ■ Lightweight and easily movable. ■ Not affixed to the sidewalk. □ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) □ Minimum a feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. □ Overhead Coverings/ Umbrellas (if using, all of the following must be met) □ Minimum 7 feet height from the ground and does not exceed 10 feet height. □ Easily removable, comprised of fire-grade and wind resistant materials. □ Does not extend beyond the perimeter of the sidewalk cafe. □ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. □ Any support structures are of sufficient size and strength, made of durable materials, and free of defects. □ Lighting and Electrical Connections (if using, all of the following must be met) □ Any lighting is outdoor rated, properly secured, and lightweight. □ Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. □ Does not extend beyond the perimeter of the sidewalk cafe. □ Does not exceed 10 feet in height. □ Not attached to any City property, including street trees. □ Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Furnishings (if using, the first two below must be met) |
| Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | |
| Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Not affixed to the sidewalk |
| Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Compiles with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar |
| Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Awnings Physically Attached to the Building (if using, all of the following must be met) |
| Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Minimum 8 feet height from the ground and does not exceed 10 feet height. |
| Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work compiles with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Easily removable, comprised of fire-grade and wind resistant materials. |
| and/or approval from the Landmarks Preservation Commission (LPC) as applicable. Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exteed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Does not extend beyond the perimeter of the sidewalk cafe. |
| Minimum 7 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | |
| Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Overhead Coverings/ Umbrellas (if using, all of the following must be met) |
| Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in helght. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Minimum 7 feet height from the ground and does not exceed 10 feet height. |
| The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in helght. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Easily removable, comprised of fire-grade and wind resistant materials. |
| Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Does not extend beyond the perimeter of the sidewalk cafe |
| Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in helght. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk. |
| Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Any support structures are of sufficient size and strength, made of durable materials, and free of defects. |
| Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in helght. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Lighting and Electrical Connections (if using, all of the following must be met) |
| the cafe. Does not extend beyond the perimeter of the sidewalk cafe. Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Any lighting is outdoor rated, properly secured, and lightweight. |
| Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | |
| Not attached to any City property, including street trees. Electrical work compiles with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Does not extend beyond the perimeter of the sidewalk cafe. |
| Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Does not exceed 10 feet in height |
| Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the | Not attached to any City property, including street trees. |
| | Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the |