



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

Manhattan Community Board 4's (MCB4) recommendation is based on a voted at its May 7, 2025 Full Board Meeting with 39 members in favor of the recommendation, 0 member opposed, 0 members abstaining and 0 present but not eligible.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name:	Elmo		
Cafe Address:	156 7 AVENUE, NE	EW YORK, NY, 10011	
Application Numb	per : 202408070100	007	
CB Review Deadli	ne (on date or next l	business day): 4/26/2025	
Sidewalk Cafe Set	tup Feedback:	☐ Communi	ty Board chooses to WAIVE review
Comments related to	o the cafe's physical foo	tprint and dimensions:	
Comments related to	o pedestrian flow (i.e., vi	sbility, safety , potential crowding)	
Please check one of t		low, either approval, denial, or approval v	vith modifications relating to
	d recommends approva l	Community Boa	rd recommends denial
Recommended mod	wledges BUT does NOT	ved w/ modifications): nodifications relating to the above reference agree with modifications relating to the a	bove referenced application. If
this box is check	ed, please provide NYC	DOT with documentation of such agreem	ent for NYC DOT's consideration.
Nelly Gonzalez Community Board Aut	thorizing Name	Community Board Authorizing Signa	4/28/25 hture Date

On 4/8/25 the Business Licenses & Permits Committee voted to recommend approval. This application is subject to ratification by MCB4 Full Board on Wednesday, May 7, 2025.

RESTAURANT DETAILS

Food Service Establishment Permit (FSEP)

FSEP#: 40872438

Expiration Date: 01/31/2026 DOHMH Status: CURRENT

Business Legal Name: 156 SEVENTH AVENUE GROUP LLC

Assumed Name: ELMO

Business Address: 156 7 AVENUE, NEW YORK, NY 10011

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 03/17/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (212) 337-8000

Email Address: Minerva@elmorestauant.com

DOS Information
DOS ID#: 2602803

Process Name: Corporations / LLC

DOS Address: 156 Seventh Avenue, New York, New York 10011

NYS Liquor Authority Information

NYSLA Serial No: 1123181 License Type: On-Premises

Name of License: 156 Seventh Avenue Group LLC

Title of Representative: Member LLC

Name of Certificate Holder: 156 Seventh Avenue Group LLC

Business hours

Sun: 11:00 AM- 12:00 AM Mon: 11:00 AM- 12:00 AM Tues: 11:00 AM- 12:00 AM Wed: 11:00 AM- 12:00 AM Thurs: 11:00 AM- 12:00 AM Fri: 11:00 AM- 2:00 AM Sat: 11:00 AM- 2:00 AM











This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.		Major Yikanis Rodrigic Commissioner		
 Refer to the <u>How to Apply</u> page in the Dining Out NYC website for more information about the applicantify Clear Path Requirements: 		Setup Area Identification :	Sidewalk Cafe	
Olescanth against face and fac			Site Plan Form	
Clear path requirement for your sidewalk cafe can be found by identifying your	C1- Global Corridor (12 feet Clear Path) C2- Regional Corridor (10 feet Clear Path)	Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.	Applicant Name:	Robert Pontarel
corridor type on the DOT's Pedestrian Mobility Plan	C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)	Please check this box if all or part of your sidewalk cafe Is in a sidewalk widening area, developed pursuant to the NYC Zoning	Restaurant Name	Elmo
Pedestrian Demand Map.	Silver to real oreal Y alliny	Resolution. If so, indicate the property line in the site plan drawing below.	FSEP Number:	40872438
Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.		Drawing Requirements		
			shown by: • Line represe	stablishment frontage enting the establishment's g the sidewalk
			Private Propert Dashed line	
			Street names: • Labels on ea	ach street
				n as: enting street curb ured from building line to
			Building entran • Label	ces shown as:
			Cafe perimeter Lines indica Length and	ting perimeter
			shown as:	e (tables, chairs, etc.) nbols at approximate hin setup
			within 15 feet of as: Lines or sym	ection 2 of this form) of cafe perimeter, shown nbols m cafe perimeter
ar			pull boxes) sho	resenting the location
	Length of sidewalk cafe: $\frac{30}{}$ feet Width of s	sidewalk cafe: 8'-2"_feet	North arrow	


SECTION 1: Site Plan

SECTION 2: Required Clearan	ces			SECTION 3: Material Requirer
	ted object is with Dining Out NYC	nin 15 feet of your proposed setup website for more information reg		 Please indicate which of the foll to the category. If applicable, ple checking the box next to the ass Refer to the <u>Setup Guides</u> in the
S01- Subway Stair: Open End	feet	acriain outc.		Materials Checklist:
		damalle ander		
Elements with minimum 10 feet c		-		
S02- Subway Elevator Entrance	feet	S04- MTA Curb Cut	feet	Perimeter Demarcation (All
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	Perimeter demarcation mu base wall, railing, planter, for
Elements with minimum 8 feet cle	earance from side	ewalk cafe:		Maximum height is 2 feet
S06- Street Tree Bed	feet	S13- Newsstand	feet	Not affixed to the sidewalk
507- Mailbox	Feet	S14- Streetlight	feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	*Optional- Only check th
S09- Wayfinding Kiosk	feet	516- Fire Hydrant	feet	Furnishings (if using, the fir
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	Lightweight and easily mo
S11- Parking Meter	feet	S18- Traffic Signal	feet	Not affixed to the sidewall
S12- SBS Fare Machine	feet			Check here if you plan to p
Elements with minimum 5 feet cle	earance from sid	ewalk cafe:		or Basement Door Certific
S19- CitiBike/Bike Share Station	feet	524- Emergency Exit Hatch	feet	Awnings Physically Attache
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	Minimum 8 feet height fro Easily removable, compris
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	Does not extend beyond t
S22- Primary Building Entrance	feet	S27- Slamese Connection	feet	Complies with the New Yo
S23- Curb Cut	feet			and/or approval from the
Elements with minimum 3 feet cle	earance from sid	ewalk cafe:		Overhead Coverings/ Umbr
			f	Minimum 7 feet height fro
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet	Easily removable, compris
Elements with minimum 1 foot 6 i	inches clearance	from sidewalk cafe elements:		Does not extend beyond t
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	78inches	S31- Manholes	22 inches	The umbrella/overhead co
	A. P. A. L. Branco			Lighting and Electrical Con-
Check this box if none of the obje	ects listed above a	re within 15 feet of the proposed se	tup.	Any lighting is outdoor rat
			16 apr	Connection is directly con the cafe
Cannot block access to building	THE PARTY	Cannot block or	1111	Does not extend beyond to Does not exceed 10 feet in
(O DATION)		be attached to fire escape stairs	DIA	Not attached to any City p
		latin April 1	hall golden	Electrical work complies v Electrical Code, Please not Landmarks Preservation C

ments

- llowing materials will be part of your sidewalk cafe by checking the box next lease confirm the materials comply with the Dining Out NYC requirements by sociated requirement. Dining Out NYC website for more information regarding materials.

Perimeter Demarcation (All of the following must be met) Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
base wall, railing, planter, fence, or stanchion and rope.
Maximum height is 2 feet 6 inches (excluding planting(s)).
Not affixed to the sidewalk
Optional- Only check the material categories you intend to use in your sidewalk cafe
Furnishings (if using, the first two below must be met)
Lightweight and easily movable.
Not affixed to the sidewalk
Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the <u>Cellar or Basement Door Certification</u>
Awnings Physically Attached to the Building (if using, all of the following must be met)
Minimum 8 feet height from the ground and does not exceed 10 feet height,
■ Easily removable, comprised of fire-grade and wind resistant materials
Does not extend beyond the perimeter of the sidewalk cafe.
Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
Overhead Coverings/ Umbrellas (if using, all of the following must be met)
Minimum 7 feet height from the ground and does not exceed 10 feet height.
Easily removable, comprised of fire-grade and wind resistant materials.
Does not extend beyond the perimeter of the sidewalk cafe
☐ The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk
Any support structures are of sufficient size and strength, made of durable materials, and free of defects
Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight.
Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Does not extend beyond the perimeter of the sidewalk cafe
Does not exceed 10 feet in height,
Not attached to any City property, including street trees.
Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from th Landmarks Preservation Commission (LPC) as applicable.



10' to SIgN 6'6" to grate