



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

Manhattan Community Board 4's (MCB4) recommendation is based on a voted at its May 7, 2025 Full Board Meeting with 39 members in favor of the recommendation, 0 member opposed, 0 members abstaining and 0 present but not eligible.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: Miss Nellie's	
Cafe Address: 321 WEST 44 STREET, NEW YOR	RK, NY, 10036
Application Number: 20240731010071	
CB Review Deadline (on date or next business day): 4 NYCDOT Internal Use Only	1/19/2025
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review
Comments related to the cafe's physical footprint and dimensi	ons:
Comments related to pedestrian flow (i.e., visbility, safety, pote	ential crowding):
Comments related to potential conflicts with existing curb use	(i.e., planters, bike racks, bus stops):
Please check one of the recommendations below, either approva the above application:	l, denial, or approval with modifications <u>relating to</u>
Community Board recommends approval	Community Board recommends denial
Community Board recommends approval w/ modifications Recommended modifications (only if approved w/ modification)	ns):
Applicant acknowledges and agrees to modifications relating Applicant acknowledges BUT does NOT agree with modifications this box is checked, please provide NYC DOT with documents.	ations relating to the above referenced application. If

Nelly Gonzalez

Community Board Authorizing Signature

4/18/25

Community Board Authorizing Name

Date

RESTAURANT DETAILS

Food Service Establishment Permit(FSEP)

FSEP#: 50155433

Expiration Date: 07/15/2024

DOHMH Status: PENDING APPLICATION

Business Legal Name: PMACS 10 LLC

Assumed Name: Miss Nellie's

Business Address: 321 WEST 44 STREET, NEW YORK, NY 10036

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 03/10/2025

Restaurant Information

Entity Type: Limited Liability Corporation (LLC)

Phone: (914) 740-3580

Email Address: KELLYMLK136@GMAIL.COM

Emergency Contact Information

First Name: PATRICK Last Name: SCHMIDT Phone: (201) 744-7920

Email Address: SCHMIDT@PMACSHOSPITALITY.COM

DOS Information DOS ID#: 7182275

Process Name: C/O PMACS HOSPITALITY LLC

DOS Address: 888C 8TH AVENUE, BOX #220, NEW YORK, New York 10019

NYS Liquor Authority Information NYSLA Serial No: 034024108398

License Type: On-Premises

Name of License: MICHAEL MCNAMEE
Title of Representative: LLC MEMBER
Name of Certificate Holder: PMACS 10 LLC

Business hours

Sun: 12:00 PM- 2:00 AM Mon: 12:00 PM- 2:00 AM Tues: 12:00 PM- 2:00 AM Wed: 12:00 PM- 2:00 AM Thurs: 12:00 PM- 2:00 AM Fri: 12:00 PM- 2:00 AM

Sat: 12:00 PM- 2:00 AM











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application. Refer to the Howto Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements:

- Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map on Open
 - C1- Global Corridor (12 feet Clear Path)
 - C3- Neighborhood Corridor (8 feet Clear Path) C2- Regional Corridor (10 feet Clear Path)
 - C4- Community Connector (8 feet Clear Path)
- C5- Baseline Street (8 feet Clear Path)

Use the space below to draw or upload your Site Plan representing your cafe perimeters, furniture, and clearances.

Setup Area Identification:

- Please check this box if you plan to have outdoor dining located within private property. If so, indicate the property line in the site plan drawing below.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing

MADE MEN HOOK CON EX ACIETS NAME CONTINUES OF INC.

Site Plan Form Sidewalk Cafe

Applicant Name:



PMacs 10 Lee

FSEP Number:

50155433

Drawing Requirements

Food service establishment from age shown by:

- Line representing space occupied in building
- Labels

Street names:

Labels on each street

Sidewalk shown as:

Line representing street curb

ADJACENT PROPERTY

EXIST ENTRY

NEW YORK, NY 10036 EXG RESTAURANT 325 W 44TH ST

3'-0"

3'-0" SERVICE AISLE

N

4'-9'

14'-8"

3'0"

- Width measured from building line to curb line

Primary building entrance shown as:

EXG SERVICE ENTRY

- Distance from proposed setup

Cafe perimeter shown as: Line

- Length and width
- Private Property Line ---- (Dashed line) representing

Set-up furniture (tables, chairs, etc.) shown as:

Lines or symbols at approximate location within setup

Sidewalk elements or objects shown as:

Lines or symbols

9'-11"

- Labels
- Distance from cafe perimeter

Utility coverings shown as:

- Symbols representing the approximate shape of the covering
- Within the setup

 ☐ MANHOLE COVERING

 ☐ UTILITY COVERING

Length of sidewalk cafe; 25.8

feet

Width of sidewalk cafe: 4.7

feet

W 44TH ST

STREET CURB

SECTION 2: Required Clearances

- Please provide distances from the following objects.

 Only provide a distance if the listed object is within 15 feet of your proposed setup.
- Leave box blank if not applicable
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances.

Elements w
3
minimum
강
feet c
clearance '
Į,
n sidewalk
cafe:

S01- Subway Stair: Open End feet

Elements with minimum 10 feet clearance from sidewalk cafe:

S02- Subway Elevator Entrance

feet

S04- MTA Curb Cut

feet

feet feet

S03- Exhaust Duct

Elements with minimum 8 feet clearance from sidewalk cafe: S05- FDNY Curb Cut

S06- Street Tree Bed	feet	S13- Newsstand
S07- Mailbox	feet	S14-Streetlight
S08- LinkNYC Kiosk	feet	S15-Bus Stop Pole
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant
S10- E-charging Station	feet	S17-Bus Stop Shelter
S11- Parking Meter	feet	S18-Traffic Signal
S12- Select Bus Service Fare		

Elements with minimum 5 feet clearance from sidewalk cafe:

feet

Machine

S23- Curb Cut	S22-Primary Building Entrance	S21- Micromobility Station	S20-Bike Corral	S19- CitiBike/Bike Share Station
feet	feet	feet	feet	feet
	S27- Siamese Connection	S26- Subway Elevator: Non-Entry	S25- Subway Stair: Closed End	S24- Emergency Exit Hatch
	feet	feet	feet	feet

Elements with minimum 3 feet clearance from sidewalk cafe:

S29- Transformer Vault	S28- Elevated Train Infrastructure
f oot	feet

Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:

S30- Vent Infrastructure

36 inches

	la v s	Cannot block access to building	
		access hg	
a de la companya de l	A.		

	-
9 6	L
Can be at	
not ble tached cape s	
ock or d to fin tairs	
1	
	Cannot block or be attached to fire escape stairs

SECTION 3: Material Requirements

- to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by Please indicate which of the following materials will be part of your sidewalk cafe by checking the hox next checking the box next to the associated requirement
- Refer to the Setup Guides in the Dining Out NYC website for more information regarding materials

Materials Checklist:

Perimeter Demarcation

Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.

Maximum height is 2 feet 6 inches (excluding planting(s)).

Not affixed to the sidewalk.

Optional- Only check the material categories you intend to use in your sidewalk cafe

Furnishings

- Lightweight and easily movable
- Not affixed to the sidewalk.

feet feet _feet feet feet feet

Awnings (Physically attached to the building)

- Minimum 8 feat height from the ground and does not exceed 10 feet height
- Easily removable, comprised of fire-grade and wind resistant materials
- Does not extend beyond the perimeter of the sidewalk cafe.
- Tomplies with the New York City Building Code and the requirements of the Landmarks Preservation Commission, as applicable.

Overhead Coverings/ Umbrellas

- _] Minimum 7 feet height from the ground and does not exceed 10 feet height
- __|Easily removable, comprised of fire-grade and wind resistant materials
- Does not extend beyond the perimeter of the sidewalk cafe
- The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
- ackslash JAny support structures are of sufficient size and strength, made of durable materials, and free of defects

Lighting and Electrical Connections

- Any lighting is outdoor rated, properly secured, and lightweight
- Connection is directly connected to ground floor restaurant's power source and within the perimeter of
- Does not extend beyond the perimeter of the sidewalk cafe
- Does not exceed 10 feet in height
- Not attached to any City property, including street trees
- Electrical work complies with the applicable requirements set forth in the DOTs rules and the New York City Electrical Code.
- Please check this box if you are submitting additional documents for review. Documents may include technical drawings prepared by a licensed professional.