



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: Route 66 Cafe	
Cafe Address: 858 9 AVENUE, NEW Y	ORK, NY, 10019
Application Number: 20240729010003	
CB Review Deadline (on date or next busing NYCDOT Internal Use Only	ness day): 5/17/2025
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review
Comments related to the cafe's physical footprin	t and dimensions:
Comments related to pedestrian flow (i.e., visbilit	y, safety , potential crowding):
SKEACKAGE	either approval, denial, or approval with modifications relating to
Community Board recommends approval	Community Board recommends denial
Community Board recommends approval w/ Recommended modifications (only if approved v	
Applicant acknowledges BUT does NOT agre	ications relating to the above referenced application e with modifications relating to the above referenced application. If with documentation of such agreement for NYC DOT's consideration.
Nelly Gonzalez	Mougles 5/16/25

Community Board Authorizing Name

Community Board Authorizing Signature

Date

RESTAURANT DETAILS

Food Service Establishment Permit (FSEP)

FSEP#: 41248529

Expiration Date: 03/31/2026 DOHMH Status: CURRENT

Business Legal Name: SCENIC ROUTE 66 CAFE INC

Assumed Name: ROUTE 66 CAFE

Business Address: 858 9 AVENUE, NEW YORK, NY 10019

Venue Type: Diner

Last updated from DOHMH: 04/07/2025

Restaurant Information Entity Type: Corporation Phone: (212) 977-7600

Email Address: kasialuna14@gmail.com

DOS Information DOS ID#: 3469655

Process Name: Scenic Route 66 Cafe Inc.

DOS Address: 858 9th Avenue, New York, New York 10019

NYS Liquor Authority Information

NYSLA Serial No: 809686 License Type: On-Premises

Name of License: Scenic Route 66 Cafe Inc

Title of Representative: president

Name of Certificate Holder: Katarzyna Banas


Business hours

Sun: 8:00 AM- 12:00 AM Mon: 8:00 AM- 12:00 AM Tues: 8:00 AM- 12:00 AM Wed: 8:00 AM- 12:00 AM Thurs: 8:00 AM- 12:00 AM Fri: 8:00 AM- 12:00 AM Sat: 8:00 AM- 12:00 AM











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

Identify Clear Path Requirements: Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's

Pedestrian Mobility Plan Pedestrian Demand Map. C1- Global Corridor (12 feet Clear Path) C2- Regional Corridor (10 feet Clear Path) C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sldewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing

Street Tree Bed

MEW YORK CITY Eric Adams Mayor Vision Frankiguez Sidewalk Cafe Site Plan Form

Applicant Name:


Katarzyna Banas

Restaurant Name

Route 66 Cafe

FSEP Number:

41248529



Pedestrian Walking Lane

Curb

9th Avenue

Length of sidewalk cafe: 11

Width of sidewalk cafe: 5

Drawing Requirements

Food service establishment frontage shown by: Line representing the establishment's

- space facing the sidewalk
- Length Labels

Private Property shown as: Dashed line

Street names:

Labels on each street

Sidewalk shown as:

Line representing street curb
Width measured from building line to

Building entrances shown as:

Label

Cafe perimeter shown as:

Lines indicating perimeter
 Length and width

Set-up furniture (tables, chairs, etc.)

Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown

Lines or symbols Distance from cafe perimeter

Utility coverings (water/gas valves, and

pull boxes) shown as:

Symbols representing the location within the setup

North arrow

SECTION 2: Required Cleara	nces			
 Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding clearances. 				
Elements with minimum 15 feet clearance from sidewalk cafe:				
501- Subway Stair: Open End	feet			
Elements with minimum 10 feet	clearance from si	dewalk cafe:		
502- Subway Elevator Entrance	feet	504- MTA Curb Cut	feet	
S03- Exhaust Duct	feet	S05- FDNY Curb Cut	feet	
Elements with minimum 8 feet clearance from sidewalk cafe:				
S06- Street Tree Bed	10 feet	513- Newsstand	feet	
S07- Mailbox	feet	S14- Streetlight	feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet	
S10- E-charging Station	feet	S17- Bus Stop Shelter	fcct	
S11- Parking Meter	feet	S18- Traffic Signal	feet	
S12- SBS Fare Machine	feet			
Elements with minimum 5 feet clearance from sidewalk cafe:				
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	
S20- Bike Corral	feet	S25- Subway Stair: Closed End	feet	
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	
S22- Primary Building Entrance	feet	S27- Siamese Connection	feet	
S23- Curb Cut	feet			
Elements with minimum 3 feet clearance from sidewalk cafe:				
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet	
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				
S30- Vent Infrastructure: utility vent poles, vent grates, subway grates	inches	531- Manholes	inches	
Check this box if none of the objects listed above are within 15 feet of the proposed setup.				
Carnot block access to building		Cannot block or be attached to fire escape stairs		

Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category, If applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement. Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials. Materials Checklist: *Required* Perimeter Demarcation (All of the following must be met) $\begin{tabular}{ll} \hline \mathcal{M} Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope. \end{tabular}$ Maximum height is 2 feet 6 inches (excluding planting(s)). Not affixed to the sidewalk. *Optional- Only check the material categories you intend to use in your sidewalk cafe* Furnishings (if using, the first two below must be met) Lightweight and easily movable. Not affixed to the sidewalk. Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar or Basement Door Certification Awnings Physically Attached to the Building (if using, all of the following must be met) Minimum 8 feet height from the ground and does not exceed 10 feet height. Easily removable, comprised of fire-grade and wind resistant materials Does not extend beyond the perimeter of the sidewalk cafe. Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable Overhead Coverings/ Umbrellas (if using, all of the following must be met) Minimum 7 feet height from the ground and does not exceed 10 feet height, Easily removable, comprised of fire-grade and wind resistant materials. Does not extend beyond the perimeter of the sidewalk cafe. The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk Any support structures are of sufficient size and strength, made of durable materials, and free of defects. Lighting and Electrical Connections (if using, all of the following must be met) Any lighting is outdoor rated, properly secured, and lightweight. Connection is directly connected to ground floor restaurant's power source and within the perimeter of Does not extend beyond the perimeter of the sidewalk cafe, Does not exceed 10 feet in height. Not attached to any City property, including street trees. Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code, Please note that this may require additional permits from DOB or FDNY, and/or approval from the

Landmarks Preservation Commission (LPC) as applicable.

SECTION 3: Material Requirements