



Eric Adams Mayor Ydanis Rodriguez Commissioner

# COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

Manhattan Community Board 4's (MCB4) recommendation is based on a voted at its June 4, 2025 Full Board Meeting with 44 members in favor of the recommendation, 0 member opposed, 0 members abstaining and 0 present but not eligible.

# **DINING OUT NYC**

# COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

<b>Business Name:</b>	The Mercury	
Cafe Address:	659 9 AVENUE, NEW YORK	K, NY, 10036
<b>Application Num</b>	ber: 20250213010003	
CB Review Deadline (on date or next business day): 5/31/2025  NYCDOT Internal Use Only		
Sidewalk Cafe Se	etup Feedback:	Community Board chooses to <b>WAIVE</b> review
Comments related	to the cafe's <b>physical footprint and d</b>	limensions:
Comments related to pedestrian flow (i.e., visbility, safety, potential crowding):		
Comments related to potential conflicts with <b>existing curb use</b> (i.e., planters, bike racks, bus stops):  The awning above the sidewalk cafe at this location appears to block the building's fire escape from descending to sidewalk level.  Please check one of the recommendations below, either <b>approval</b> , <b>denial</b> , or <b>approval with modifications</b> relating to		
the above applicatio	<u>n:</u>	
Community Boa	rd recommends approval	Community Board recommends denial
Community Board recommends approval w/ modifications  Recommended modifications (only if approved w/ modifications):  Although MCB4 recommends approval of this sidewalk cafe, that approval is contingent on the applicant's altering or removing the awning beneath the building's fire escape so that the fire escape can properly descend to sidewalk level if necessary.		
Applicant acknowledges and agrees to modifications relating to the above referenced application  Applicant acknowledges <b>BUT</b> does <b>NOT</b> agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.		
Nelly Gonzal	ez	Maryelez 5/30/25

Community Board Authorizing Signature Community Board Authorizing Name On 5/13/25 the Business Licenses & Permits Committee voted to recommend approval. This application is subject to ratification by MCB4 Full Board on Wednesday, June 4, 2025.

Date

# **RESTAURANT DETAILS**

Food Service Establishment Permit (FSEP)

FSEP#: 40677553

Expiration Date: 02/28/2026 DOHMH Status: CURRENT

Business Legal Name: 659 RESTAURANT INC

Assumed Name: MERCURY BAR

Business Address: 659 9 AVENUE, NEW YORK, NY 10036

Venue Type: Restaurant (with bar) Last updated from DOHMH: 04/21/2025

Restaurant Information Entity Type: Corporation Phone: (212) 262-7755

Email Address: kellymlk136@gmail.com

DOS Information DOS ID#: 2252237

Process Name: C/O KORDAS & MARINIS LLP

DOS Address: 5-44 47TH AVE, LONG ISLAND CITY, New York 11101


NYS Liquor Authority Information NYSLA Serial No: 034023131400 License Type: On-Premises

Name of License: MARIO ARCARI Title of Representative: PRESIDENT

Name of Certificate Holder: 659 REST INC

## **Business** hours

Sun: 10:00 AM- 1:00 AM Mon: 11:00 AM- 1:00 AM Tues: 11:00 AM- 1:00 AM Wed: 11:00 AM- 1:00 AM Thurs: 11:00 AM- 2:00 AM Fri: 11:00 AM- 2:00 AM Sat: 10:00 AM- 3:00 AM











#### SECTION 1: Site Plan

- · This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process.

## Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Mag. C1- Global Corridor (12 feet Clear Path)

C2- Regional Corridor (10 feet Clear Path)

C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Length of sidewalk cafe: 16'-8" feet

#### Setup Area Identification:

- Please check this box if you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
  - Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing below.



# Sidewalk Cafe Site Plan Form

Applicant Name:


659 REST INC

Restaurant Name

MERCURY BAR

FSEP Number:

40677553



Width of sidewalk cafe: 5'-6"

#### **Drawing Requirements**

# Food service establishment frontage shown by:

- Line representing the establishment's space facing the sidewalk
- Length
- Labels

#### Private Property shown as:

Dashed line

Street names:
Labels on each street

#### Sidewalk shown as:

- · Line representing street curb
- Width measured from building line to curb line

#### Building entrances shown as:

· Label

#### Cafe perimeter shown as:

- · Lines indicating perimeter
- Length and width

# Set-up furniture (tables, chairs, etc.) shown as:

 Lines or symbols at approximate location within setup

# Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown as:


- Lines or symbols
- Distance from cafe perimeter
- Labels

# Utility coverings (water/gas valves, and pull boxes) shown as:

 Symbols representing the location within the setup

North arrow

#### SECTION 2: Required Clearances Please provide distances from the following objects. Only provide a distance if the listed object is within 15 feet of your proposed setup. Refer to the Setup Guides in the Dining Out NYC website for more information regarding clearances. Elements with minimum 15 feet clearance from sidewalk cafe: S01- Subway Stair: Open End Elements with minimum 10 feet clearance from sidewalk cafe: S04-MTA Curb Cut feet feet 502- Subway Elevator Entrance 503- Exhaust Duct feet S05-FDNY Curb Cut feet Elements with minimum 8 feet clearance from sidewalk cafe: S13- Newsstand feet 506- Street Tree Bed 5!4-Streetlight feet 507-Mailbox feet S08-LinkNYC Kiosk S15- Bus Stop Pole 509-Wayfinding Kiosk 516- Fire Hydrant feet \$10- E-charging Station 517- Bus Stop Shelter feet feet S18- Traffic Signal feet 511 - Parking Meter 512-SB5 Fare Machine Elements with minimum 5 feet clearance from sidewalk cafe: 519- CitiBike/Bike Share Station feet S24- Emergency Exit Hatch S20- Bike Corral S25- Subway Stair: Closed End feet feet S26- Subway Elevator: Non-Entry feet 521 - Micromobility Station S27- Siamese Connection feet S22- Primary Building Entrance feet \$23-Curb Cut Elements with minimum 3 feet clearance from sidewalk cafe: S29- Transformer Vault \_feet feet S28- Elevated Train Infrastructure Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements: inches S30-Vent Infrastructure: inches S31- Manholes utility vent poles, vent grates, subway grates Check this box if none of the objects listed above are within 15 feet of the proposed setup. Cannot block access Cannot block or to building be attached to fire



#### SECTION 3: Material Requirements

- Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next
  to the category. If applicable, please confirm the materials comply with the Dining Out NYC requirements by
  checking the box next to the associated requirement.
- Refer to the Seign Guides in the Dining Out NYC website for more information regarding materials.

#### Materials Checklist:

#### \*Required\*

- Perimeter Demarcation (All of the following must be met)
  - Perimeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, railing, planter, fence, or stanchion and rope.
  - Maximum height is 2 feet 6 inches (excluding planting(s)).
  - Not affixed to the sidewalk.

#### \*Optional- Only check the material categories you intend to use in your sidewalk cafe\*

- Fumishings (if using, the first two below must be met)
  - Lightweight and easily movable.
  - Not affixed to the sidewalk.
  - Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the
- Awnings Physically Attached to the Building (if using, all of the following must be met)
  - Minimum 8 feet height from the ground and does not exceed 10 feet height.
  - Easily removable, comprised of fire-grade and wind resistant materials.
  - testly removable, comprised of the grade and time resistant man
  - Does not extend beyond the perimeter of the sidewalk cafe.
  - Complies with the New York City BuildIng Code. Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.
- Overhead Coverings/ Umbrellas (if using, all of the following must be met)
  - Minimum 7 feet height from the ground and does not exceed 10 feet height.
  - Easily removable, comprised of fire-grade and wind resistant materials,
  - Does not extend beyond the perimeter of the sidewalk cafe.
  - The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk.
  - Any support structures are of sufficient size and strength, made of durable materials, and free of defects
- Lighting and Electrical Connections (if using, all of the following must be met)
  - Any lighting is outdoor rated, properly secured, and lightweight.
  - Connection is directly connected to ground floor restaurant's power source and within the paimeter of the cafe.
  - Does not extend beyond the perimeter of the sidewalk cafe.
  - Does not exceed 10 feet in height.
  - Not attached to any City property, including street trees.
  - Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.