



Eric Adams Mayor Ydanis Rodriguez Commissioner

COMMUNITY BOARD FEEDBACK PACKAGE

Please review this application and provide the required feedback.

DINING OUT NYC

COMMUNITY BOARD RECOMMENDATION FORM

This form is to be used by community boards during the cafe review process. Any comments from the community board should be recorded on this form and submitted to NYC DOT. For information pertaining to specific cafe design requirements, visit the Dining Out NYC website for program legislation, rules, and Setup Guides.

Business Name: Rice X Beans				
Cafe Address: 688 10 AVENUE, NEW YORK, NY, 10019				
Application Number: 20240803010204				
CB Review Deadline (on date or next business day): 6 NYCDOT Internal Use Only	6/14/2025			
Sidewalk Cafe Setup Feedback:	Community Board chooses to WAIVE review			
Comments related to the cafe's physical footprint and dimensions : Because this sidewalk is 19 feet wide, the required clear path must be 50% of the width of the sidewalk or 9.5 feet. The proposed Site Plan does not provide for the required 9.5 foot clear path at all points: There is only 8 feet between the bike rack obstruction and the perimeter of the sidewalk cafe.				
Comments related to pedestrian flow (i.e., visbility, safety, potential crowding):				
Comments related to potential conflicts with existing curb use of the recommendations below, either approva				
the above application:				
Community Board recommends approval	Community Board recommends denial			
Community Board recommends approval w/ modifications				
Recommended modifications (only if approved w/ modification Although MCB4 recommends Approval, MCB4 urges that the 9.5 clear path between the bike rack obstruction and the pe	ne site plan be modified to provide for the required			
Applicant acknowledges and agrees to modifications relatin	g to the above referenced application			
Applicant acknowledges BUT does NOT agree with modifications relating to the above referenced application. If this box is checked, please provide NYC DOT with documentation of such agreement for NYC DOT's consideration.				
Nelly Gonzalez	(Hoxegoles) 6/13/25			

Community Board Authorizing Name

Community Board Authorizing Signature

Date

RESTAURANT DETAILS

Food Service Establishment Permit (FSEP)

FSEP#: 50122606

Expiration Date: 05/31/2026 DOHMH Status: CURRENT

Business Legal Name: INACIO NYC INC

Assumed Name: RICE X BEANS

Business Address: 688 10 AVENUE, NEW YORK, NY 10019

Venue Type: Restaurant (with bar)

Last updated from DOHMH: 05/05/2025

Restaurant Information Entity Type: Corporation Phone: (646) 484-6796

Email Address: info@abclicense.us

DOS Information
DOS ID#: 6383602

Process Name: Inacio NYC Inc

DOS Address: 688 10th Ave, New York, New York 10019

NYS Liquor Authority Information NYSLA Serial No: 034022109731 License Type: On-Premises Name of License: Carlos Inacio Title of Representative: President

Name of Certificate Holder: Inacio NYC Inc

Business hours

Sun: 12:00 PM- 10:00 AM

Mon: -

Tues: 12:00 PM- 10:00 PM Wed: 12:00 PM- 10:00 PM Thurs: 12:00 PM- 10:00 PM Fri: 12:00 PM- 11:00 PM Sat: 12:00 PM- 11:00 PM











SECTION 1: Site Plan

- This Site Plan form is required to be uploaded in the "Sidewalk Site Plan" field of your online application.
- Refer to the How to Apply page in the Dining Out NYC website for more information about the application process

Identify Clear Path Requirements:

Clear path requirement for your sidewalk cafe can be found by identifying your corridor type on the DOT's Pedestrian Mobility Plan Pedestrian Demand Map

- C1- Global Corridor (12 feet Clear Path)
- C2- Regional Corridor (10 feet Clear Path)
- C3- Neighborhood Corridor, Community Connector, or Baseline Street (8 feet Clear Path)

Setup Area Identification :

- Please check this box If you plan to have outdoor dining located partially within private property. If you are uncertain, please request records from your property owner/manager.
- Please check this box if all or part of your sidewalk cafe is in a sidewalk widening area, developed pursuant to the NYC Zoning Resolution. If so, indicate the property line in the site plan drawing

Sidewalk Cafe

Site Plan Form

Applicant Name:

Inacio NYC Inc

Restaurant Name:

Rice x Beans

FSEP Number:


50122606

Building Restaurant

Inacio NYC Inc DBA Rice X Beans

<u>Sidewalk</u>

688 10th Ave, New York, NY 10019





Length of sidewalk cafe:

Width of sidewalk cafe; 9.5

Drawing Requirements

Food service establishment frontage

- Line representing the establishment's
- space facing the sidewalk Length
- Labels

Private Property shown as: Dashed line

Street names:

Labels on each street

Sidewalk shown as:

- Line representing street curb Width measured from building line to

Building entrances shown as:

Label

Cafe perimeter shown as:

- Lines indicating perimeter Length and width

Set-up furniture (tables, chairs, etc.)

shown as:

Lines or symbols at approximate location within setup

Elements (in Section 2 of this form) within 15 feet of cafe perimeter, shown

- : Lines or symbols Distance from cafe perimeter
- Labels

Utility coverings (water/gas valves, and pull boxes) shown as: Symbols representing the location

within the setup

North arrow

SECTION 2: Required Clearance	es			SECTION 3: Material Requirements
	ed object is wi	jects thin 15 feet of your proposed setup Cwebsite for more information rega		 Please indicate which of the following materials will be part of your sidewalk cafe by checking the box next to the category, if applicable, please confirm the materials comply with the Dining Out NYC requirements by checking the box next to the associated requirement.
Elements with minimum 15 feet cle	arance from s	idewalk cafe:		Refer to the <u>Setup Guides</u> in the Dining Out NYC website for more information regarding materials.
501- Subway Stair: Open End	feet			Materials Checklist:
Elements with minimum 10 feet cle	arance from s	idewalk cafe:		*Required*
S02- Subway Elevator Entrance	feet	504- MTA Curb Cut	feet	Perimeter Demarcation (All of the following must be met)
S03- Exhaust Duct	Feet	S05- FDNY Curb Cut	feet	Perlmeter demarcation must be clear and visible by using a lightweight and removable self-supporting base wall, ralling, planter, fence, or stanchion and rope.
Elements with minimum 8 feet clea	rance from sid	dewalk cafe:		 base wall, ralling, planter, fence, or stanchion and rope. Maximum height is 2 feet 6 inches (excluding planting(s)).
S06- Street Tree Bed	feet	S13- Newsstand	feet	Not affixed to the sidewalk.
S07- Mailbox	feet	514- Streetlight	feet	
S08- LinkNYC Kiosk	feet	S15- Bus Stop Pole	feet	*Optional- Only check the material categories you intend to use in your sidewalk cafe*
S09- Wayfinding Kiosk	feet	S16- Fire Hydrant	feet	
S10- E-charging Station	feet	S17- Bus Stop Shelter	feet	Furnishings (if using, the first two below must be met) Lightweight and easily movable.
S11- Parking Meter	feet	S18- Traffic Signal	feet	Not affixed to the sidewalk.
S12- SBS Fare Machine	feet			■ Not arrixed to the sidewalk. ■ Check here if you plan to place tables/chairs on top of a cellar or basement door. If so, please complete the Cellar
Elements with minimum 5 feet clea	rance from slo	dewalk cafe:		or Basement Door Certification
S19- CitiBike/Bike Share Station	feet	S24- Emergency Exit Hatch	feet	Awnings Physically Attached to the Building (if using, all of the following must be met)
S20- Bike Corral 8		S25- Subway Stair: Closed End	feet	Minimum 8 feet height from the ground and does not exceed 10 feet height,
S21- Micromobility Station	feet	S26- Subway Elevator: Non-Entry	feet	Easily removable, comprised of fire-grade and wind resistant materials
S22- Primary Building Entrance 5		S27- Siamese Connection	feet	Does not extend beyond the perimeter of the sidewalk cafe,
S23- Curb Cut	feet	327- Siamese Connection	, cct	Complies with the New York City Building Code, Please note that this may require additional permits from DOB, and/or approval from the Landmarks Preservation Commission (LPC) as applicable,
Elements with minimum 3 feet clea	rance from sl	dewalk cafe:		Overhead Coverings/ Umbrellas (if using, all of the following must be met)
				Minimum 7 feet height from the ground and does not exceed 10 feet height.
S28- Elevated Train Infrastructure	feet	S29- Transformer Vault	feet	Easily removable, comprised of fire-grade and wind resistant materials.
Elements with minimum 1 foot 6 inches clearance from sidewalk cafe elements:				Does not extend beyond the perimeter of the sidewalk cafe.
S30- Vent Infrastructure:	inches	S31- Manholes	Inches	The umbrella/overhead covering has a weighted base and any supports are not affixed to the sidewalk
utility vent poles, vent grates, subway grates				Any support structures are of sufficient size and strength, made of durable materials, and free of defects.
Check this box if none of the objects listed above are within 15 feet of the proposed setup.		run.	Lighting and Electrical Connections (if using, all of the following must be met)	
Check this box ii none of the objects listed above are within 13 feet of the proposed setup.		Орг	Any lighting is outdoor rated, properly secured, and lightweight	
				Connection is directly connected to ground floor restaurant's power source and within the perimeter of the cafe.
Cannot block access				Does not extend beyond the perimeter of the sidewalk cafe.
to building		Cannot block or be attached to fire		Does not exceed 10 feet in height.
		escape stairs		Not attached to any City property, including street trees.
The same		2Likida	A.A.A.	Electrical work complies with the applicable requirements set forth in DOT's rules and the New York City Electrical Code. Please note that this may require additional permits from DOB or FDNY, and/or approval from the Landmarks Preservation Commission (LPC) as applicable.